

# तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY

(संसद के अधिनियम दवारा स्थापित केंद्रीय विश्वविदयालय)

(A Central University established by an Act of Parliament)

## कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR

नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

#### **SHORT QUOTATION NOTICE**

TU/11-24/Pur/Qtn/2017-18/980-A dated: 01.06.2017

Sealed quotations are invited from reputed manufacturers/authorized dealers/vendors for supply, installation & commissioning etc. of following items required for the DST-SERB Sponsored Research Project of Dr. S.S. Bhattacharyya, Department of Environmental Science, Tezpur University. Those who have submitted quotation in response to our earlier notice No. TU/11-24/Pur/Qtn/2017-18/106-A dated 11.04.2017 may submit their revised offer/quotation and in such cases Tender Fee and EMD need not be paid again.

#### List of equipment and specifications:

Sl. No	equipment and specificated Equipment	Specifications
1 1	Unit type Lyophilizer/freeze dryer with Vaccum Pump	<ul> <li>Cold trap temperature: -45°C</li> <li>Ice holding capacity: 1L/one batch</li> <li>Temperature setting and display: Sheet key input, digital</li> <li>Safety features: Leakage/over current breaker. Refrigeration system protection circuit. Fuse for service outlet. Control substrate self diagnsis. Stop timer function.</li> <li>Vaccum leak function: Automated leak vaccum.</li> <li>Trap defrost method: Hot gas</li> <li>Additional function: Vaccum pump automatic operating function, vaccum and trap temperature monitor function, Power failure self return function.</li> <li>Refrigerator power and Refrigerant: 450W, HFC 507</li> <li>Vaccum pump: Option (Pumping seed 50L/min over)</li> <li>Vaccum gauge: PiranivaccumGuage (Digital display) 0.4 and 533Pa</li> <li>Trap dimension(mm) and material: 200*175H, SUS304</li> <li>Recorder output: Trap temperature- 1°C/mV. Vaccum: 1Pa/mV</li> <li>Service outlet: For vaccum pump Max.6A. For dry chamber Max.2A</li> <li>Ambient temperature: 5-35°C</li> <li>Overall dimesion: 450W*420D*440H</li> <li>Weight: 38 kg</li> <li>Power source: 220VAC, 50Hz</li> <li>Ultimate pressure: 5x10 Torr</li> <li>Pumping speed: 50L/min</li> <li>Motor output: 200W</li> <li>Oil capacity: 550 to 700ml</li> <li>Safety feature: Thermal protector, check valve, Oil filter</li> <li>Power source: 220VAC, 50H</li> </ul>



### तेजप्र विश्वविद्यालय / TEZPUR UNIVERSITY

(संसद के अधिनियम दवारा स्थापित केंद्रीय विश्वविदयालय)

(A Central University established by an Act of Parliament)

#### क्ल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR

नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

2	Homogenizer including Accessories	<ul> <li>Processing Range: 25 μL to 6 mL</li> <li>Power Rating: 100-230 VAC/50-60 Hz</li> <li>Dimensions: 8.5" W x 11.5" D x 10" H</li> <li>Weight: 16.5 lbs. (7.48 kg)</li> <li>Run Time: 1 - 5 mins.</li> <li>Programs: 1</li> <li>Cycles: 1</li> <li>Performance Range:30 g - 150 g</li> <li>Broad performance range — gentle mixing to high force homogenization</li> <li>Small footprint: requires minimal bench space</li> <li>Holds: 4 x 0.5 mL / 1.5 mL / 2 mL or 1 x 7 mL tubes</li> <li>Homogenizing up to 4 samples in seconds Simultaneously processing: 4 x 0.5 mL, 4 x 1.5 mL, 4 x 2 mL or 1 x 7 mL samples</li> <li>BOD compatible Digital Shaker without platform with Clamp for 250 ml Erlenmeyer flask and capacity of 18 can take min. 2 and max.9</li> </ul>
3	Microtome cutter with paraffin incubator and vaccum pump	<ul> <li>Section thickness setting: 1-50 micron, in steps of 1 micron</li> <li>Knife length: standard, 120mm</li> <li>Operation: manual</li> <li>Block (Specimen) Holder: Set of three</li> <li>Object feed: Manual</li> <li>Vertical specimen stroke: 55mm</li> <li>Max. specimen size: 32mm section</li> <li>Specimen orientation: 360°</li> <li>Adjustment with locks: provided</li> <li>Thickness control: manual with micrometer</li> <li>Knife angle: 0 to 10°</li> <li>Dimension: 300*300*240mm</li> <li>Weight:32 to 35 kg</li> <li>Honing stone: Provided</li> <li>Compatible paraffin incubator and vaccum pump with all necessary fittings.</li> <li>Instruction manual: Provided</li> </ul>

#### **GENERAL TERMS & CONDITIONS:**

- 1. No separate tender paper will be issued from the office; one should only download the specifications/List from the website.
- 2. The rates should be preferably quoted in Indian Rupee and FOR Tezpur University, Napaam basis. Charges for clearing and transportation should be incurred by the supplier.
- 3. Quotations should be accompanied by i) An EMD (in the form of Demand Draft/Call Deposit/TDR) of ₹. 5000/- (Rupees Five Thousand) only drawn/pledged in favor of Registrar, Tezpur University,



### तेजप्र विश्वविद्यालय / TEZPUR UNIVERSITY

(संसद के अधिनियम दवारा स्थापित केंद्रीय विश्वविदयालय)

(A Central University established by an Act of Parliament)

#### क्ल सचिव का कार्यालय/OFFICE OF THE REGISTRAR

नपाम :: तेजप्र - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

payable at Tezpur. **No request for consideration of earlier deposited EMD will be considered**. ii) A non refundable application (quotation) fee of ₹.1000.00 (Rupees One Thousand) only have to be paid only by Demand Draft drawn in favour of Registrar, Tezpur University payable at Tezpur.

- 4. The rates should be exclusive of taxes and applicable tax % should be clearly indicated.
- 5. Applicable levies, surcharge and discounts should be clearly indicated itemwise.
- 6. Quoted rates should be valid at least for a period of 01 year.
- 7. The rates should be quoted along with supporting documents of specifications and technical features and list of users.
- 8. The system must be installed at the laboratory, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
- 9. All the quotations must be accompanied with supporting documents and / or literature.
- 10. Demonstration may be sought from the vendors for authentication of quoted specification.
- 11. Details of availability of after sales support will have to be furnished. After sales support directly from manufacturer and from Assam (Guwahati / Tezpur) will be preferred.
- 12. The University is exempted from paying Custom and Excise duty.
- 13. Proprietary items should be quoted with sole Manufacturer/Distributorship certificate.
- 14. Warranty/Gurantee period should be specifically mentioned in the quotation.
- 15. No Advance payment will be made. However, for foreign supplier, advance payment will be made either by FDD/Wire Transfer/LC. In such cases 10% Performance Bank Guarantee should be submitted before issuing FDD/Wire Transfer/LC, covering the warranty period.
- 16. Performance Bank Guarantee also has to be submitted for Major equipments of Indian origin, covering the warranty period.
- 17. Items of Foreign origin should have Insurance up to installation on site.
- 18. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
- 19. Quoted price should be inclusive of essential accessories and should be CIF Tezpur University,
- 20. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar.
- 21. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.
- 22. Quotation should be submitted in the DROP BOX placed in the reception of the Administrative Building of the University on or before 5.30 PM of 15<sup>th</sup> of June, 2017. If posted/courierred, should reach on or before 5.30 PM of 15<sup>th</sup> of June, 2017 addressed to "The Joint Registrar, Tezpur University". The Quotation Notice No. and date should be clearly superscribed in the the envelope/packet containing the quotation.

Sd/- Joint Registrar Tezpur University