

तेजपुरविश्वविद्यालय/ TEZPUR UNIVERSITY (केंद्रीयविश्वविद्यालय/A Central University) कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजप्र-784028 :: असम/ TEZPUR-784028 :: ASSAM

### NOTICE INVITING BID

### TU/GeM/BoQ-Bid (141)/2023-24/ 1806 Date 05-09-2023

**Bids** in **02 Bid System (Technical and Financial)** are invited on **GeM** from reputed manufacturers/authorized dealers for supply of IT related Equipments for Dr. Dhruba K Bhattacharyya, Department of Computer Science & Engineering of Tezpur University.

Please read the Bid document carefully before participating. It shall be deemed that submission of bid by the bidder has been done after their careful study and examination of the Bid terms with full understanding to its implications. Any lack of information shall not in any way relieve the bidder of its responsibility to fulfill its obligations under the Bid.

The University will reject a proposal for award if it determines that the bidder recommended for award has engaged in corrupt or fraudulent practices in competing for, or in executing, the Purchase Order. Fraudulent Practice means a misrepresentation of facts in order to influence a procurement process and includes collusive practice among bidders (prior to or after Bid submission) designed to establish Bid prices at artificial non-competitive levels and to deprive Tezpur University of the benefits of free and fair competition. Corrupt Practice means offering, giving, receiving or soliciting of anything of value, pressurizing to influence the action of a public official in the process of this purchase execution.

For any queries/doubt please contact the Stores & Purchase Section (e-mail: <a href="mailto:snp@tezu.ernet.in">snp@tezu.ernet.in</a>) or in the email id mentioned in the GeM Bid.

### GENERAL TERMS & CONDITIONS:

- 1. The items desired to be procured through this bid are supplementary to each other and in execution of the project in entirety, as such interested participants may note that they are to quote for all the items as desired to be procured through this bid.
- Rates: Rates quoted should be on FOR Tezpur University, Napam, Tezpur, Door Delivery Basis, for indigenous items and CIP Tezpur University, Napam, Tezpur or Delivered Duty Paid, for imported item. Failure to comply with this term may lead to rejection of the quotation.
- 4. Bidders/Tenderers are to ensure that they are GST compliant and that their quoted tax structure/rates are as per GST law. The rates should be exclusive of taxes and applicable tax percentage should be clearly indicated. Financial/Price Bid format where taxes cannot be

Maire



mentioned separately, in such cases, the percentage of taxes applicable should be mentioned in the Technical Bid document.

- 5. Validity of Quotation: Quoted rates must be valid for at least 180 days from the last date of submission of quotation.
- 6. Applicable levies, surcharge and discounts should be clearly indicated item wise.
- 7. The rates should be quoted along with supporting documents of specifications and technical features and list of users, wherever applicable.
- 8. Literature a must: All the quotations must be supported by technical leaflet/literature and the specifications mentioned in the quotation must be reflected/ supported by such technical leaflet/ literature. The model and specifications quoted should invariably be highlighted in the leaflet/literature for easy reference.
- 9. After Sales Service Guidelines: In case of imported goods, bidders should clearly state the detailed address, contact number and email ids of 'after sales service centre' preferably in Tezpur/Guwahati, India or any place in Assam without which their offers shall be liable for rejection. Service against any complaint must be provided within 24hours.
- 10. Dealership Certificate: Dealers or Agents quoting on behalf of Manufacturer must upload valid dealership certificate.
- 11. Quality Certificates: Valid certificate to prove that the products are genuine and of international standard, as mentioned below, must be uploaded: (a) Manufacturer's certificate; (b) ISO/ISI certificate.
- 12. Genuine Pricing: Vendor is to ensure that quoted price is not more than the price offered to any other customer in India to whom this item has been sold, particularly to Universities/IITs/Institutes and other Government Organization.
- 13. Payment:100% payment after successful delivery, installation and commissioning (if required in the scope of supply) and acceptance by the user.
- 14. **PENALTY FOR DELAYED DELIVERY**: The date of delivery should be strictly adhered to. In the event of delayed delivery, installation & commissioning, the vendor shall be liable for a penalty deduction as per prevailing rule.
- 15. As per Gol Notification vide: 11/22 dated 14.11.2022 GST % for Public Funded Research Institution or a University has been reduced to 18%. Hence, the rate of GST may be charged as per reduced rate. An Exemption Certificate will be provided on request.
- 16. The University is exempted from paying Custom and Excise duty.
- 17. Warranty/Guarantee applicable if any, period should be specifically mentioned in the quotation.
- 18. Irresponsive/incomplete quote will be rejected.
- 19. Conditional tenders not acceptable: All the terms and conditions mentioned herein must be strictly adhered to by all the vendors. Conditional tenders shall not be accepted on any ground and shall be rejected straightway. Printed conditions mentioned in the tender bids submitted by vendors will not be binding on Tezpur University.
- 20. Enquiry during the course of evaluation not allowed: No enquiry shall be made by the bidder(s) during the course of evaluation of the tender till final decision is conveyed to the successful bidder(s). However, the Purchase Committee or its authorized representative (Tezpur University) can make any enquiry/seek clarification from the bidders. In such a situation, the agency shall extend full co-operation. The bidders may also be asked to arrange demonstration of the offered items, in a short period notice, as such the bidders have to be ready for the same.

Termination for default: Default is said to have occurred

- a. If the equipment or any of its component is found having poor workmanship, faulty designs, poor performance and bad quality of materials used.
- b. If the supplier fails to deliver any or all of the services within the time period(s) specified in the purchase order or any extension thereof granted by Tezpur University.



- c. If the supplier fails to perform any other obligation(s) under the contract.
- d. Under the above circumstances Tezpur University may terminate the contract / purchase order in whole or in part and forfeit the EMD/PBG as applicable. In addition to above, Tezpur University may at its discretion also take the following actions: Tezpur University may procure, upon such terms and in such manner, as it deems appropriate, goods similar to the undelivered items/products and the defaulting supplier shall be liable to compensate Tezpur University for any extra expenditure involved towards goods and services obtained. Besides, the Vice-Chancellor, Tezpur University, and reserves the right to impose any other form of penalty as deemed fit including blacklisting of the vendor.

#### 21. Selection criteria:

#### i. Evaluation Criteria:

To ensure that each bidder has the necessary qualifications and resources to full fill its obligations under the contract, the following criteria shall be evaluated. The Eligibility, Financial, Experience & Support criteria should be passed before the technical criteria. Technical criteria will be evaluated and ranked by the award of ACCEPT and/or REJECT. Only the ACCEPTED vendors will be considered for price bid. In case a joint venture makes a bid, any one of the members of the joint venture need to be qualified for each of the criteria mentioned below.

- ii. Eligibility Criteria:
  - a. The bidder or the OEM should not be blacklisted by Tezpur University or any other Educational /R&D/ PSU/ Govt organizations. A certificate or undertaking to this effect must be submitted.

#### iii. Technical Criteria

Technical bids will be evaluated and ranked by the award Accepted & Rejected. The price bids of Accepted vendors would then be considered by the concerned Purchase Committee of the institute Delivery Period

22. The delivery installation and commissioning should be completed with <u>30 Days</u> of the award of BID without any deviation.

Assistant Registrar-GA, i/c Tezpur University



### <u>Technical Specifications cum Compliance Report</u> (To be submitted on Company's/Firm's Letterhead Signed and Sealed)

Particulars	and the second sec	Description
Workstation	Processor	Intel <sup>®</sup> Xeon <sup>®</sup> W-2223 (8.25 MB cache, 4 cores, 8 threads, 3.60 GHz to 3.90 GHz Turbo, 120 W)
	Operating System	Ubuntu Linux 18.04 or latest
	Chipset	Intel C422 chipset
	Memory	64GB (2 x 32 GB) ECC DDR4 2933 MHz memory
	GPU	NVIDIA RTX 3090 12GB GPU Memory
	Storage	1 x 512GB 2.5in SATA SSD. 1 x 2TB 7200 RPM SATA HDD
	Storage Controller	Intel <sup>®</sup> chipset SATA controller (6Gb/s) with 6 SATA ports plus 2 dedicated ports
	Communications	Intel <sup>®</sup> i219 Gigabit Ethernet controllers with Intel Remote Wake UP, PXE and Jumbo
		frames support
	Audio Controller	Integrated Realtek ALC3234 High Definition Audio Codec (2 Channel)
	Speakers	Internal Speaker; 2.0 stereo speaker systems
	I/O Ports	Front2 - USB 3.1 Gen 1 Type A2 - USB 3.1 Gen 1 Type C1 - Universal Headphone JackInternal1 - USB 2.0 Type A1 - 2 x 5 USB 2.0 header.(Requires 3rd party splittercable to support 2 x USB 2.0Type A ports)6 - SATA @6Gb/s plus 2 foropticalRear6 - USB 3.1 Gen 1 Type A (6thport supports Power Delivery)1 - Serial1 - RJ45 Network2 - PS2 1 - Audio Line out1 - Audio Line in/Microphone
	Slots	All slots PCIe Gen 3: (2) PCIe x16, (1) PCIe x16 wired as x8, (1) PCie x16 wired as x4, (1) PCIe





# तेजपुरविश्वविद्यालय/ TEZPUR UNIVERSITY (केंद्रीयविश्वविद्यालय/A Central University) कुलसचिवकाकार्यालय/OFFICE OF THE REGISTRAR

तेजपुर-784028 :: असम/ TEZPUR-784028 :: ASSAM

Chassis
CHASSIS
Alerdine s. et
Storage devices
Security Options
Manageability
Regulatory and Enviro
Regulatory and Enviro
Power Supply
Warranty
Monitor
Diagonal Viewing Size
Maximum Preset Res
Aspect Ratio
Pixel Pitch
Pixel Per Inch (PPI)
Brightness
Color Support
Contrast Ratio
Viewing Angle
Response Time
Panel Type
Display Screen Coatin
Backlight Technology
Low Blue Light solution
free screen
Dell Display Manager
Remote Asset Manag
Integrated Speakers
Connectivity
HDCP Support
Adjustability

	x16 wired as x1, 1 PCI 32/33
Chassis	HxWxD: 16.45" (417.9 mm)
	Width: 6.95" (176.5 mm)
	Depth: 20.4" (518.2 mm)
	Starting at weight 34lb/15.4kg
Storage devices	DVD-ROM; DVD+/-RW, CAC/ PIV
the second s	card reader. 5.25" Bay
Security Options	Trusted Platform Module (TPM
	2.0), Setup/BIOS Password; I/O
	Interface Security; Kensington®
	lock slot
Manageability	AMT or vPro with DASH suppor
Regulatory and Environmental	Energy Star <sup>®</sup> configurations
	available* including 80 PLUS®
	registered Gold power supplies
Power Supply	425W* or 950W (input voltage
	100VAC - 240VAC) –90%
	efficient (80PLUS Gold Certified)
	Externally
	accessible/removable/lockable
Warranty	3-year On-Site
Monitor	
Diagonal Viewing Size	68.60 cm (27.0 inches)
Maximum Preset Resolution	1920 x 1080 at 60 Hz
Aspect Ratio	16:9
Pixel Pitch	0.3114 mm x 0.3114 mm
Pixel Per Inch (PPI)	81
Brightness	300 cd/m <sup>2</sup> (typical)
Color Support	Color gamut (typical): 83%
	(CIE1976), 72% (CIE1931) Color
	depth: 16.7 Million
Contrast Ratio	1000:1 (typical)
Viewing Angle	178°/178°
Response Time	5 ms typical (Fast) (gray to gray)
	8 ms typical (Normal) (gray to
	gray)
Panel Type	IPS (In-Plane Switching)
Display Screen Coating	Anti-Glare
Backlight Technology	LED
Low Blue Light solution with Flicker-	Yes (ComfortView)
free screen	
Dell Display Manager Compatibility	Yes
Remote Asset Management	Yes
Integrated Speakers	Yes
Connectivity	1 x VGA
	1 x DisplayPort 1.2
	1 x HDMI 1.4
HDCP Support	HDMI HDCP 1.4
Adjustability	Height adjustable (100 +/-5 mm)

Planter



	and Tilt (-5° to 21°)
Security	Security lock slot (cable lock sold
	separately)
Flat Panel Mount Interface	VESA (100 mm)
AC input voltage/frequency/current	100 VAC to 240 VAC /50 Hz or
	60 Hz +/- 3 Hz /1.5 A
Power Consumption Stand by/Sleep	Less than 0.3W
Height (Compressed ~ Extended)	408.70 mm ~ 508.70 mm (16.09
	inches ~ 20.03 inches)
Width	623.30 mm (24.54 inches)
Depth	208.17 mm (8.20 inches)
Weight	3.90 kg (8.60 lb)
Environmental Compliance	ENERGY STAR <sup>®</sup> , EPEAT <sup>®</sup> Gold
	registered where applicable1,
	TCO Certified Display
Warranty	3-Years onsite

### Item: Workstation 2

Particulars

	Description
Processor	Intel <sup>®</sup> Xeon <sup>®</sup> W-2223 (8.25 MB cache, 4 cores, 8 threads, 3.60 GHz to 3.90 GHz Turbo, 120 W)
Operating System	Ubuntu Linux 18.04 or latest
Chipset	Intel C422 chipset
Memory	64GB (2 x 32 GB) ECC DDR4 2933 MHz memory
GPU	NVIDIA RTX 3080 4000 16GB GPU Memory
Storage	1 x 512GB 2.5in SATA SSD. 1 x 2TB 7200 RPM SATA HDD
Storage Controller	Intel <sup>®</sup> chipset SATA controller (6Gb/s) with 6 SATA ports plus 2 dedicated ports
Communications	Intel <sup>®</sup> i219 Gigabit Ethernet controllers with Intel Remote Wake UP, PXE and Jumbo
Audio Controller	frames support Integrated Realtek ALC3234 High Definition Audio Codec (2 Channel)
Speakers	Internal Speaker; 2.0 stereo speaker systems
I/O Ports	Front2 - USB 3.1 Gen 1 Type A2 - USB 3.1 Gen 1 Type C1 - Universal Headphone JackInternal1 - USB 2.0 Type A1 - 2 x 5 USB 2.0 header.(Requires 3rd party splitter



	cable to support 2 x USB 2.0
	Type A ports)
	6 – SATA @6Gb/s plus 2 for
	optical
	Rear
	6 – USB 3.1 Gen 1 Type A (6th
	port supports Power Delivery)
	1 – Serial
	1 – RJ45 Network
	2 – PS2 1 – Audio Line out
	1 – Audio Line in/Microphone
Slots	All slots PCle Gen 3: (2) PCle
	x16, (1) PCIe x16 wired as x8, (1)
	PCie x16 wired as x4, (1) PCle
	x16 wired as x1, 1 PCI 32/33
Chassis	HxWxD: 16.45" (417.9 mm)
	Width: 6.95" (176.5 mm)
The second se	Depth: 20.4" (518.2 mm)
	Starting at weight 34lb/15.4kg
Storage devices	DVD-ROM; DVD+/-RW, CAC/ PIV
	card reader. 5.25" Bay
Security Options	Trusted Platform Module (TPM
	2.0), Setup/BIOS Password; I/O
the second se	Interface Security; Kensington®
	lock slot
Manageability	AMT or vPro with DASH suppor
Regulatory and Environmental	Energy Star <sup>®</sup> configurations
	available* including 80 PLUS®
	registered Gold power supplies
Power Supply	425W* or 950W (input voltage
	100VAC - 240VAC) -90%
	efficient (80PLUS Gold Certified)
	Externally
	accessible/removable/lockable
Warranty	3-year On-Site
Manitar	
Monitor	68.60 cm (27.0 inches)
Diagonal Viewing Size Maximum Preset Resolution	1920 x 1080 at 60 Hz
	16:9
Aspect Ratio	0.3114 mm x 0.3114 mm
Pixel Pitch	81
Pixel Per Inch (PPI)	300 cd/m <sup>2</sup> (typical)
Brightness Color Support	Color gamut (typical): 83%
Color Support	(CIE1976), 72% (CIE1931) Color
	depth: 16.7 Million
Contract Patio	1000:1 (typical)
Contrast Ratio	178°/178°
Viewing Angle	5 ms typical (Fast) (gray to gray)
Response Time	
	8 ms typical (Normal) (gray to

Phoenter



	gray)
Panel Type	IPS (In-Plane Switching)
Display Screen Coating	Anti-Glare
Backlight Technology	LED
Low Blue Light solution with Flicker- free screen	Yes (ComfortView)
Dell Display Manager Compatibility	Yes
Remote Asset Management	Yes
Integrated Speakers	Yes
Connectivity	1 x VGA 1 x DisplayPort 1.2 1 x HDMI 1.4
HDCP Support	HDMI HDCP 1.4
Adjustability	Height adjustable (100 +/-5 mm and Tilt (-5° to 21°)
Security	Security lock slot (cable lock sold separately)
Flat Panel Mount Interface	VESA (100 mm)
AC input voltage/frequency/current	100 VAC to 240 VAC /50 Hz or 60 Hz +/- 3 Hz /1.5 A
Power Consumption Stand by/Sleep	Less than 0.3W
Height (Compressed ~ Extended)	408.70 mm ~ 508.70 mm (16.09 inches ~ 20.03 inches)
Width	623.30 mm (24.54 inches)
Depth	208.17 mm (8.20 inches)
Weight	3.90 kg (8.60 lb)
Environmental Compliance	ENERGY STAR <sup>®</sup> , EPEAT <sup>®</sup> Gold registered where applicable1, TCO Certified Display
Warranty	3-Years onsite

Rana



Annexure-I

(To be submitted on Company's/Firm's Letterhead signed and sealed)

### **Bid-Security Declaration Form**

Date:	
Bid No.	

To (insert complete name and address of the purchaser)

I/We. The undersigned, declare that:

I/We understand that, according to your conditions, bids must be supported by a Bid Security Declaration.

I/We accept that I/We may be disqualified from bidding for any contract with you for a period of three year from the date of notification if I am /We are in a breach of any obligation under the bid conditions, because I/We

(a) have withdrawn/modified/amended, impairs or derogates from the tender, my/our Bid during the period of bid validity specified in the form of Bid; or

(b) having been notified of the acceptance of our Bid by the purchaser during the period of bid validity (i) fail or reuse to execute the contract, if required, or (ii) fail or refuse to furnish the Performance Security, in accordance with the Instructions to Bidders.

I/We understand this Bid Securing Declaration shall cease to be valid if I am/we are not the successful Bidder, upon the earlier of (i) the receipt of your notification of the name of the successful Bidder; or (ii) thirty days after the expiration of the validity of my/our Bid.

Signed: (insert signature of person whose name and capacity are shown) in the capacity of (insert legal capacity of person signing the Bid Securing Declaration).

Name: (insert complete name of person signing he Bid Securing Declaration) Duly authorized to sign the bid for an on behalf of: (insert complete name of Bidder) Dated

on \_\_\_\_\_day of \_\_\_\_\_\_(insert date of signing)

Corporate Seal (where appropriate)

(Note: In case of a Joint Venture, the Bid Securing Declaration must be in the name of all partners to the Joint Venture that submits the bid).